

Igreja Insurgente Kopimista Brasileira

Transparência financeira

Detalhamento sobre custos atuais dos sistemas computacionais utilizados sob o domínio **iikb.org**

A última versão deste documento deve estar disponível na coleção “iikb transparência financeira” da Biblioteca Pirata: <http://biblioteca.partidopirata.org/u/desci/collection/iikb-transparencia-financeira/>

07 de agosto de 2015

Servidores da GANDI

Preços

Extraído de <https://www.gandi.net/hosting/iaas/prices>

On-demand infrastructure prices

Only pay for what you need!

Each resource that is active on your account will use a certain number of credits every hour.

These credits can be purchased:

- **on demand:** funds available in your Gandi prepaid account will be automatically converted into credits as needed (default)
- **by credit pack:** you will then benefit from lower rates

Buy credits A Rates

● 1			\$0.00012	
● 150,000	(-15%)	US\$15.30		Buy
● 1,000,000	(-20%)	US\$96.00		Buy
● 2,000,000	(-30%)	US\$168.00		Buy

Configuration examples

<p>Medium IPv6</p> <p>1 core 1 GB RAM 20 GB SAS disk 1 IPv6</p> <p>● 158/hour</p> <p>US\$9.56 excl. VAT*</p> <p>Creation</p>	<p>Medium</p> <p>1 core 1 GB RAM 20 GB SAS disk 1 IPv4</p> <p>● 228/hour</p> <p>US\$13.79 excl. VAT*</p> <p>Creation</p>	<p>Large</p> <p>2 cores 2GB RAM 50GB SAS disk 1 IPv4</p> <p>● 396/hour</p> <p>US\$23.95 excl. VAT*</p> <p>Creation</p>	<p>X-Large</p> <p>4 cores 4GB RAM 100GB SAS disk 1 IPv4</p> <p>● 722/hour</p> <p>US\$43.67 excl. VAT*</p> <p>Creation</p>	<p>Kick Ass</p> <p>12 cores 16GB RAM 1TB SAS disk 1 IPv4</p> <p>● 3,134/hour</p> <p>US\$189.54 excl. VAT*</p> <p>Creation</p>
---	---	---	--	--

* Prices shown are based on 30 days of use with 2 TB total bandwidth consumption included ([Detailed price table](#)). Prices in US dollars are based on the use of credits purchased in a 2,000,000 credit pack.

Figura 1: Preço dos créditos GANDI e exemplos de configuração

Resource prices

per month

per hour

Credits On demand ● 150,000 credit pack ● 1,000,000 credit pack ● 2,000,000 credit pack

Resource prices

per month

per hour

	Credits	On demand	● 150,000 credit pack	● 1,000,000 credit pack	● 2,000,000 credit pack
per IPv4	● 50,400	US\$6.05	US\$5.14	US\$4.84	US\$4.23
CPU (price per core)	● 30,240	US\$3.63	US\$3.08	US\$2.90	US\$2.54
RAM (per 64 MB)	● 4,320	US\$0.52	US\$0.44	US\$0.41	US\$0.36
Disk (per GB)	● 720	US\$0.09	US\$0.07	US\$0.07	US\$0.06

* Price "per month", based on a 30-day use.

Bandwidth prices

The first 2 TB consumed per month are free. You will be billed by GB.

Per month and per GB	Incoming traffic	Outgoing traffic
Up to 2 TB	Free	Free
From 2 to 3 TB	Free	● 1,500 /GB
From 3 to 5 TB	Free	● 1,300 /GB
For more than 5 TB	Free	● 1,100 /GB

Figura 3: Preço dos recursos de VPS da GANDI por mês

Uso atual (07 de agosto de 2015)

Usage detail

Gandi credits Available: ● 187,241 Usage: ● 688/h 11 days, 8 hours [Close](#)
[Add credits](#)
[Manage auto credits](#) ?
or: \$0.05848 / hour
or: US\$42.11 / month
[See in detail](#)
[History](#)

Your bandwidth consumption between 2015-07-26 and 2015-08-26 is **10.87 GB**. ([See the cost](#) if you consume over 2 TB.)

This page will show you the breakdown of your credit usage by your infrastructure.

Global view by resource

Search Server CPU RAM Disk IPv4 Web accelerator [Export](#)

Name	Usage per hour
Server (3)	● 0/h
CPU (3)	● 126/h
RAM (3.25 GB)	● 312/h
Disk (110 GB)	● 110/h
IPv4 (8)	● 140/h
Total	● 688/h History

Figura 4: Uso atual dos créditos GANDI (07 de agosto de 2015)

Servers

Control panel **Servers (3)** Disks (19) Interfaces (9) Vlans (2) Web Accelerators (0) Operations (0)
Statistics WebAcc Statistics

Gandi credits Available: ● 187,241 Usage: ● 688/h 11 days, 8 hours [Manage credits](#)

Search Location Status Running Stopped Other [Export](#)

<input type="checkbox"/> Server(s) (3/3)	Credits	Location	Cores	RAM	System	State
<input type="checkbox"/> lx7 ⓘ	● 337/h		1	2048 MB	Debian 7 64 bits (HVM)	Running edit refresh stop delete ⓘ
<input type="checkbox"/> lx8 ⓘ	● 256/h		1	1024 MB	Debian 7 64 bits (HVM)	Running edit refresh stop delete ⓘ
<input type="checkbox"/> lx9 ⓘ	● 69/h		1	256 MB	Debian 8 64 bits (HVM)	Running edit refresh stop delete ⓘ

Select the lines and choose an action 10 per page

Figura 5: Uso dos créditos GANDI por cada servidor

Servers

Control panel Servers (3) **Disks (19)** Interfaces (9) Vlans (2) Web Accelerators (0) Operations (0)

Statistics WebAcc Statistics

Gandi credits Available: ● 187,241 Usage: ● 688/h 11 days, 8 hours [Manage credits](#)

Search ? OK Location Status Created Other [Export](#)

<input type="checkbox"/> Disk name (10/19) ▾	Credits	Location	Type	Size	State	
<input type="checkbox"/> biblioteca	● 20/h	<input checked="" type="checkbox"/>	Data disk	20 GB	Created	
<input type="checkbox"/> db	● 2/h	<input checked="" type="checkbox"/>	Data disk	2 GB	Created	
<input type="checkbox"/> dir	● 2/h	<input checked="" type="checkbox"/>	Data disk	2 GB	Created	
<input type="checkbox"/> gnusocial	● 1/h	<input checked="" type="checkbox"/>	Data disk	1 GB	Created	
<input type="checkbox"/> gnusocial2	● 1/h	<input checked="" type="checkbox"/>	Data disk	1 GB	Created	
<input type="checkbox"/> log	● 5/h	<input checked="" type="checkbox"/>	Data disk	5 GB	Created	
<input type="checkbox"/> lx2-data	● 6/h	<input checked="" type="checkbox"/>	Data disk	6 GB	Created	
<input type="checkbox"/> lx2-sys	● 6/h	<input checked="" type="checkbox"/>	System disk	6 GB	Created	
<input type="checkbox"/> lx4-sys	● 4/h	<input checked="" type="checkbox"/>	System disk	4 GB	Created	
<input type="checkbox"/> lx7-sys	● 7/h	<input checked="" type="checkbox"/>	System disk	7 GB	Created	

Select the lines and choose an action 10 per page Page 12 ▶

Figura 6: Uso dos créditos GANDI por discos - 1 de 2

Servers

Control panel Servers (3) **Disks (19)** Interfaces (9) Vlans (2) Web Accelerators (0) Operations (0)

Statistics WebAcc Statistics

Gandi credits Available: ● 187,241 Usage: ● 688/h 11 days, 8 hours [Manage credits](#)

Search OK Location Status Created Other [Export](#)

<input type="checkbox"/> Disk name (9/19) ▾	Credits	Location	Type	Size	State	
<input type="checkbox"/> lx8-sys	● 20/h		System disk ⓘ	20 GB	Created	ⓘ
<input type="checkbox"/> lx9-sys	● 3/h		System disk ⓘ	3 GB	Created	ⓘ
<input type="checkbox"/> mediagoblin	● 1/h		Data disk	1 GB	Created	ⓘ
<input type="checkbox"/> ogg	● 3/h		Data disk	3 GB	Created	ⓘ
<input type="checkbox"/> ogg1	● 3/h		Data disk	3 GB	Created	ⓘ
<input type="checkbox"/> swap	● 3/h		Data disk	3 GB	Created	ⓘ
<input type="checkbox"/> tmp	● 2/h		Data disk	2 GB	Created	ⓘ
<input type="checkbox"/> tmp1	● 1/h		Data disk	1 GB	Created	ⓘ
<input type="checkbox"/> tmp2	● 20/h		Data disk	20 GB	Created	ⓘ

Select the lines and choose an action 10 per page

Figura 7: Uso dos créditos GANDI por discos - 2 de 2

Servers

Control panel Servers (3) Disks (19) **Interfaces (9)** Vlans (2) Web Accelerators (0) Operations (0)

Statistics WebAcc Statistics

Gandi credits Available: ● 187,241 Usage: ● 688/h 11 days, 8 hours [Manage credits](#)

Search ? OK Location Status used free [Export](#)

<input type="checkbox"/> Interface (9/9)	Credits	Location	Type	Server	Bandwidth	IP	Creation	Modification	
<input type="checkbox"/> Interface 3	● 70/h		Public	lx7	100 Mbits	46.226.110.196 2001:4b9...ee7:4a27	2014-05-27	2015-03-31	
<input type="checkbox"/> Interface 0	● 70/h		Public	lx8	100 Mbits	46.226.110.170 2001:4b9...e14:bac9	2015-01-10	2015-05-29	
<input type="checkbox"/> Interface 4	● 0/h		Private	lx7	200 Mbits	192.168.0.7	2015-03-27	2015-03-31	
<input type="checkbox"/> Interface 1	● 0/h		Private	lx8	200 Mbits	192.168.0.8	2015-05-28	2015-05-29	
<input type="checkbox"/> Interface 0	● 0/h		Public	lx9	100 Mbits	2001:4b9...e63:8ef6	2015-07-30	2015-07-30	
<input type="checkbox"/> Interface 5	● 0/h		Private	lx7	200 Mbits	192.168.1.7	2015-07-30	2015-07-30	
<input type="checkbox"/> Interface 2	● 0/h		Private	lx8	200 Mbits	192.168.1.8	2015-07-30	2015-07-30	
<input type="checkbox"/> Interface 3	● 0/h		Private	lx9	200 Mbits	192.168.1.9	2015-07-30	2015-07-30	
<input type="checkbox"/> Interface 2	● 0/h		Private	lx9	200 Mbits	192.168.0.9	2015-07-30	2015-07-30	

Select the lines and choose an action 10 interfaces per

Figura 8: Uso dos créditos GANDI por interfaces de rede

Servidores

lx7.iikb.org


Servidor do Hacklab Independência. Hospeda os seguintes sites (incluí os principais softwares para ter uma ideia de consumo):

- hi.ato.br (Nginx + Ikiwiki)
 - icecast.hi.ato.br (Icecast)
- ninguem.tem.blog.br (Ikiwiki)
- midiacapoeira.in
 - midiacapoeira.in/midia (Mediagoblin)
 - midiacapoeira.in/blog (Ikiwiki)

Servers > lx7 ▾

General information

Hostname: lx7


Location:  Bissen, Luxembourg

IP address: 46.226.110.196

Server: **Running** [Stop](#) [Reboot](#)

Operation in progress: 0

 [Add note](#)

 [Delete this server](#)








	337/hour (History) 
	1 core (Modify)
	2048 MB (Modify) Server limit 2 GB (Modify)
	6 disks attached (Modify) No backup disk 33 GB of attached disk quota
	3 attached network interfaces (Add) Including 1 public network interface 100.00 Mbits of dedicated bandwidth (Modify)
	Statistics: Access

Figura 9: Servidor lx7.iikb.org

lx8.iikb.org


Servidor do piratas.xyz. Hospeda os seguintes serviços:

- piratas.xyz (Nginx + Ikiwiki)
- iuf.partidopirata.org
- biblioteca.partidopirata.org (Mediagoblin)
- mumble.partidopirata.org (Mumble)

Servers > lx8 ▾

General information

Hostname: lx8


Location:  Bissen, Luxembourg

IP address: 46.226.110.170

Server: **Running** [Stop](#) [Reboot](#)

Operation in progress: 0

 [Add note](#)

 [Delete this server](#)








	256/hour (History) 
	1 core (Modify)
	1024 MB (Modify) Server limit 2 GB (Modify)
	5 disks attached (Modify) No backup disk 48 GB of attached disk quota
	3 attached network interfaces (Add) Including 1 public network interface 100.00 Mbits of dedicated bandwidth (Modify)
	Statistics: Access

Figura 10: Servidor lx8.iikb.org

lx9.iikb.org


Servidor do piratas.xyz somente IPV6. Hospeda o seguinte serviço:

- tortuga.pirata.xyz (GNU Social)

Servers > lx9 ▾

General information

Hostname: lx9

Location:  Bissen, Luxembourg

IP address: 2001:4b98:dc2:43:216:3eff:fe63:8ef6

Server: **Running** [Stop](#) [Reboot](#)

Operation in progress: 0

 [Add note](#)

 [Delete this server](#)








	69/hour (History) 
	1 core (Modify)
	256 MB (Modify) Server limit 2 GB (Modify)
	1 disk attached (Modify) No backup disk 3 GB of attached disk quota
	3 attached network interfaces (Add) Including 1 public network interface 100.00 Mbits of dedicated bandwidth (Modify)
	Statistics: Access

Figura 11: Servidor lx9.iikb.org

Servidores da Digital Ocean

do1.p.iikb.org

Servidor do piratas.xyz na Digital Ocean. Ainda não tem nenhum serviço.

Select Size

\$5 /mo \$0.007/hour	\$10 /mo \$0.015/hour	\$20 /mo \$0.030/hour	\$40 /mo \$0.060/hour	\$80 /mo \$0.119/hour
512 MB / 1 CPU 20 GB SSD Disk 1000 GB Transfer	1 GB / 1 CPU 30 GB SSD Disk 2 TB Transfer	2 GB / 2 CPUs 40 GB SSD Disk 3 TB Transfer	4 GB / 2 CPUs 60 GB SSD Disk 4 TB Transfer	8 GB / 4 CPUs 80 GB SSD Disk 5 TB Transfer
\$160 /mo \$0.238/hour	\$320 /mo \$0.476/hour	\$480 /mo \$0.714/hour	\$640 /mo \$0.952/hour	
16 GB / 8 CPUs 160 GB SSD Disk 6 TB Transfer	32 GB / 12 CPUs 320 GB SSD Disk 7 TB Transfer	48 GB / 16 CPUs 480 GB SSD Disk 8 TB Transfer	64 GB / 20 CPUs 640 GB SSD Disk 9 TB Transfer	

Your Droplet

Hostname
do1.p.iikb.org

Size
\$5/mo

Region
New York 2

Image
8.1 x64

Settings
none

SSH Keys
none

Figura 12: Servidor do1.p.iikb.org e preços da Digital Ocean